2. The auction will be conducted by the Superintendent, Public Works Workshop and Stores.

3. The car will be available for inspection at the Motor Garage during office hours on all days except Sundays and General Holidays.

4. Intending purchasers are invited to attend the auction at the appointed time.

5. The sale will be subject to the following conditions :—

(1) The car will be sold away to the highest bidder.

(2) In the case of private parties, the party whose bid shall be accepted should pay the sale amount in full in cash on the spot before delivery of the car, failing which, the car will be resold at the risk of the party concerned and any loss to result from the resale will be recovered from the first bidder.

(3) The car will be delivered to the party immediately after the sale is closed and amount is paid by the party.

(4) The party will make his own arrangements for removal of the car from the Garage.

(5) The responsibility of the office ceases with the delivery of the car to the party after the close of the sale.

In case of Government Officers, however, Government are pleased to allow the recovery of the sale amount on (6) instalments.

V. RANGASAMY IYENGAR,
Offg. Director of Industries and Commerce,
P. W. Workshop and Stores, Bangalore.

KOLAR DIVISION.

Abstract Notification.

The attention of the public is invited to the notification published in the Gazette No. 4, dated 25th January 1917, calling for tenders for restoring Nerinapalli Tank, Registered No. 601 of Srinivaspur Taluk.

V. AIYASWAMY IYER,
Executive Engineer.

SANDAL OIL FACTORY, MYSORE.

Dated 31st January 1917.

Notice is hereby given that sealed tenders will be received by the undersigned at the Exhibition Buildings up to 12 noon of the 10th February 1917 for the supply of 4,000 tons of jungle wood fuel and 1,000 of Casuarina wood fuel for the Sandal Oil Factory in Mysore.

2. Tenders should be submitted in English in the form given below :—

Description of work	Unit of work	Rate per unit	Remarks
Supply of jungle wood fuel and casuarina wood fuel.	Ton.	Rs. a. p.	(If any)

3. Each tender must be accompanied by a deposit of Rs. 750 in currency notes, and should be registered and insured and superscribed reading "Tender for fuel supply for the Mysore Sandal Oil Factory."

4. The final acceptance of any tender will rest with Mr. Alfred Chatterton, Director of Industries and Commerce in Mysore, (on deputation), who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

5. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond ; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

6. The name of the successful competitor will be posted on the notice board in the office of the Assistant Director of Industries and Commerce, Exhibition Buildings, Mysore.

7. The earnest money on rejected tenders will be returned.

8. The contractor whose tender is accepted, should begin the collection in fifteen days from date of acceptance.

9. Specifications for jungle and casuarina wood fuel are herewith attached.

SPECIFICATION FOR JUNGLE FUEL.

The wood to be jungle fuel. The maximum and minimum dimensions which will be accepted are given below:—

Length.		Thickness.	
Maximum.	Minimum.	Maximum.	Minimum.
24"	18"	7"	2½"

The billets are to be sawn and not chopped. Billets of over 7 inches in diameter to be split.

The wood should be stacked by the contractor in the portion approved of by the Assistant Director or his representatives.

Stacks must be of rectangular shape, the sides being vertical and straight and the top level. The wood must be laid evenly straight and close, the pieces composing the walls must be laid at right angles to the direction of such walls, having first been sawn to an uniform length as above.

The interior of the stacks must be packed close.

The stacks should be built of such dimensions that the cubical contents of each is a multiple of 75 cubic feet.

25 feet × 6 feet × 5 feet = 750 cubic feet = 10 tons.

Seventy-five cubic feet of closely packed wood will be accepted as equivalent to a ton.

The Assistant Director or his representatives will inspect the wood as it is being stacked and shall have power to reject any pieces that are hollow, rotten, or otherwise unsuitable as fuel for boilers; he will also satisfy himself that the pieces are in accordance with the dimensions specified above and that the stacks are built as required. He shall have power to reject any stacks that do not, in all respects comply with the terms of the specification.

The wood must be at the risk of the contractor until it is stacked, measured and accepted by the Assistant Director or his representatives.

When stacks are taken over, the contractor or his representative must be present during the measurement and must sign the record of measurement in token of his agreement to the correctness thereof.

Soft wood unsuitable for steaming purposes will not be accepted.

Jali, Thopyala, Devadari, Hunse, Chigari, Heddarne, Gorve and equally hard wood other than those specified above and which the contractor would like to supply, may be supplied after he has got the previous sanction of the Assistant Director or his representatives. A cart-load of the proposed fuel should be brought in first when the same will be tested and if suitable, the contractor will be given permission in writing to such wood also in addition to the list of wood already approved of.

Soft woods such as Nerle, Muthaka, Arli, Allu, Goni and Basari unsuitable for steaming purposes will not be accepted.

SPECIFICATION FOR CASUARINA FUEL.

The wood to be solely casuarina and to be in straight lengths. The maximum and minimum dimensions which will be accepted are given below:—

Length.		Thickness.	
Maximum.	Minimum.	Maximum.	Minimum.
24"	18"	7"	2½"

The billets are to be sawn to lengths, not chopped; billets of over 7 inches in diameter to be split.

The wood should be stacked by the contractor in the portion approved of by the Assistant Director or his representatives.

Stacks must be of rectangular shape, the sides being vertical and straight and the top level; the wood must be laid evenly, straight and close; the pieces composing the walls must be laid at right angle to the direction of such walls, having first been sawn to an uniform length as above; the interior of the stacks must be packed closely.

The stacks should be built of such dimensions that the cubical measurements of each is a multiple of 75 cubic feet.

25 feet × 6 feet × 5 feet = 750 cubic feet = 10 tons.

Seventy-five feet of closely stacked wood will be accepted as equivalent to one ton.

The Assistant Director or his representatives will inspect the wood as it is being stacked and shall have power to reject any pieces that are hollow, rotten, crooked or otherwise unsuitable as fuel for boilers; he will also satisfy himself that the pieces are in accordance with

the dimensions specified above and that the stacks are built as required; he shall also have power to reject any stacks which do not, in all respects, comply with the terms of this specification.

The wood must be at the risk of the contractor until it is stacked, approved, measured and accepted by the Assistant Director or his representatives.

When stacks are taken over, the contractor or his representative must be present during the measurement and must sign the record of measurement made by the Assistant Director or his representative in token of his agreement to the correctness thereof.

C. SITARAMACHAR,
Assistant Director of Industries and Commerce,
Sandal Oil Factory, Mysore.

MYSORE CITY IMPROVEMENT TRUST BOARD.

Abstract Notification dated 17th January 1917.

The attention of the public is invited to Notification No. 1067-M. 585—C. 432 of 16-17, dated the 17th January 1917, published on page 122, Part II of the *Mysore Gazette*, dated the 25th January 1917, in respect of the acquisition of certain properties in block 55, Krishnaraj Mohalla, Mysore City.

T. LAKSHMANA RAO,
Chairman.

MYSORE DIVISION.

Absract Notification.

The attention of the public is invited to the notification, dated published in the extenso on page 84, Part IV of the *Mysore Gazette* dated 1st February 1917, calling for tenders for Improving Staff Quarters at Mysore.

S. H. LAKSHMINARASAPPA,
Assistant Engineer,
Headquarter Range, Mysore.

No. 5 DIVISION, YEDATORE.

STATEMENT.

Serial No.	Names of piece-workers	Arrears outstanding	Advance outstanding	Balance payable	Remarks
		Rs. a. p.	Rs. a. p.	Rs. a. p.	
1	Abdul Razak, son of Madar Sab	703 9 0	588 7 0	115 2 0	
2	Kempasamudram Deval Pichavadu	9 5 0	5 2 6	4 2 6	
3	Yeerapalli Kambigadu	17 15 0	15 0 0	2 15 0	
4	Chenchaboyee	5 13 6	0 2 0	5 11 6	
5	Chandayai Thumbuchetty Chinaboyee	21 0 4	4 11 2	16 5 2	
6	Budiapalli Dandu Chinna Venkatasubbadu	20 4 0	11 9 2	8 10 10	
7	Madapur Bathala Guraboyee	80 5 9	76 14 11	3 6 10	
8	Mastapa Ibrahim	20 6 0	...	20 6 0	
	Total ..	878 10 7	701 14 9	176 11 10	

These amounts are outstanding against the parties concerned in the arrears account of this Division for work done in the excavation of R. B. Channel, they or their claimants with proper heirship certificates are requested to appear before the undersigned to settle their accounts within three months of the issue of this notification in the Gazette.

Notification.

It is hereby notified for the information of the public that the following sums are due to the parties noted against them in the books of this office. If they are not claimed within three months from the date of this notification, they will be credited to Government:—

	Rs.	a.	p.
1. S. Raja Iyengar, clerk, salary for July 16	1	8	10
2. Sidda, peon, salary for December 16	0	15	5
3. Claimant of M. Thirumalachar, Sub-Overseer, for his travelling allowance for August 16	20	0	0
4. Subbachary, peon, salary for June 16	1	9	7
5. Ninga, peon, salary for October 16	1	0	6

B. NANJUNDARADHYAR,
Executive Engineer.